



**MINISTRY OF EDUCATION
OF THE RUSSIAN FEDERATION**

UDMURT STATE UNIVERSITY

PHYSICAL FACULTY

Educational and Scientific Center “Resonant Technologies”

Graduate work

**RESEARCH OF ACTIVATED LIQUIDS BY
METHOD OF ABSORPTION SPECTROSCOPY**

Berdova Elena Sergeevna

**Scientific supervisor:
Candidate of Physico-Mathematical Sciences
V.G. Shironosov**

**Consultant:
Junior research officer
Kurganovich V.S.**

Izhevsk, 2002

CONTENT

INTRODUCTION.....	3
CHAPTER 1. REVIEW OF LITERATURE	
1.1. Nonequilibrium condensed matter.....	4
1.2. Electrochemical activation of liquids.....	5
1.3. Physical methods for studying liquids.....	12
1.4. Biological methods for the study of liquids.....	22
CHAPTER 2. MATERIALS AND METHODS	
2.1. Potassium permanganate.....	24
2.2. Absorption Spectrometry.....	25
2.3. Spectrophotometer SF-2000.....	30
2.4. Spectrophotometer SF-26.....	31
2.5. Microwave spectrometry.....	32
CHAPTER 3. CONDUCT, RESULTS AND DISCUSSION OF EXPERIENCES	
3.1. Registration of spectra of liquids in the optical range.....	35
3.2. Registration of spectra of liquids in the microwave range.....	40
CONCLUSIONS.....	42
CONCLUSION.....	43
LITERATURE.....	44
APPLICATION 1	
Diaphragmless electrolyzer	
APPLICATION 2	
Spectrophotometer Specifications	

CONCLUSION

As a result of research:

- 1. The anomalous effect of a change in the optical transmission spectra of contactlessly activated liquids was first detected.**
- 2. A study was made of the dynamics of changes in the spectra of BA solutions of permanganate at various frequencies. The dynamics of changes in the spectrum of BA solutions has a frequency dependence.**
- 3. The dependence of the process of contactless activation on the parameters of the active medium is shown.**
- 4. The dependence of the transmission spectra in the microwave range for the control and contactlessly activated solutions on the diameter of the test sample was studied. There are no differences with a certain tube diameter.**